UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/510,879	10/08/2004	Eduard F Stikvoort	NL02 0277 US	6330
65913 NXP, B.V.	7590 01/03/20	008	EXAM	INER
NXP INTELLI	ECTUAL PROPERTY	LE, DINH	LE, DINH THANH	
M/S41-SJ 1109 MCKAY	DRIVE		ART UNIT	PAPER NUMBER
SAN JOSE, CA 95131		2816		
		•	NOTIFICATION DATE	DELIVERY MODE
			01/03/2008	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

ip.department.us@nxp.com

	Application No.	Applicant(s)			
	10/510,879	STIKVOORT, EDUARD F			
Office Action Summary	Examiner	Art Unit			
	DINH T. LE	2816			
The MAILING DATE of this communication app Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period v - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 26 O	Y IS SET TO EXPIRE 3 MONTH(ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be time will apply and will expire SIX (6) MONTHS from the course the application to become ABANDONE to date of this communication, even if timely filed	S) OR THIRTY (30) DAYS, I. lely filed the mailing date of this communication. D (35 U.S.C. § 133).			
	action is non-final.				
·—	e this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 45	33 O.G. 213.			
Disposition of Claims					
4) ☐ Claim(s) 1-7 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-7 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o		Θ.			
Application Papers	•				
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomposed and applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine	epted or b) objected to by the I drawing(s) be held in abeyance. See tion is required if the drawing(s) is obj	e 37 CFR 1.85(a). lected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureau * See the attached detailed Office action for a list 	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	nte			

Application/Control Number: 10/510,879

Art Unit: 2816

FINAL REJECTION

The rejection over Ali (US 6,590,943) has been withdrawn in view of the amendments to claim 1.

Drawings

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the recitation "shunt conductance element" as recited in claim 1 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Application/Control Number: 10/510,879

Art Unit: 2816

Claims Objection

Claims 2-5 and 7 are objected to in that, for clarification, "an integrator ... previous integrator" on line 2 in claim 2 should be changed to —one integrator of said at least two integrators is coupled via a conductance element to an input of an above integrator of the at least two integrators—, "an integrator ... next integrator" on line 2 of claim 3 should be changed to — one integrator of said at least two integrators" should be changed to — said one integrator of said at least two integrators is coupled via a capacitor to an input of a below integrator of said at least tow integrators—, "an integrator comprises an amplifier" on lines 1-2 of claim 4 should be changed to —said operational amplifier comprises—, "an admittance element" on line 2 of claim 5 should be changed to —said admittance element—, and "integrators" on line 2 of claim 7 should be changed to —said at least tow integrators—. Correction is required.

Claims Rejections

Claim Rejections - 35 USC § 112

Claims 1-7 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Clarification or correction is required.

Application/Control Number: 10/510,879

Art Unit: 2816

In claim 1, it is unclear what the "shunt conductance element" is and how the recitation "shunt conductance element" on line 2 is read on the preferred embodiment. Insofar as understood, no such element" is seen on the drawings.

In claim 5, the recitation "a filter" on line 1, "an amplifier" and "operational amplifier" and "passive element" on line 2 is confusing because it is unclear if they are additional "filter", "element" and "amplifiers" or further recitation "filter" on line 1, "element" on line 2 or "operational amplifier" on line 7 of claim 1. Also, it is unclear what the "passive element" is.

In claim 7, it is unclear how the recitation "one signal inversion between the integrators" is read on the preferred embodiment. Insofar as understood, no such inversion is seen on the drawings

The remaining claims are dependent from the above claims and therefore also considered indefinite.

Allowable Subject Matter

Claim 1-7 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims. These claims are allowed because the prior art of record does not suggest "the series admittance element and a shunt conductance" as combined in claim 1. element is a capacitor".

Page 5

Application/Control Number: 10/510,879

Art Unit: 2816

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DINH T. LE whose telephone number is (571) 272-1745. The examiner can normally be reached on Monday-Friday (8AM-7PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Drew Richards, can be reached at (571) 272-1735.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

PHMARY EXAMINER